



## AMICO AFFILIATES

ISSUED
No. DATE

э.	DATE	DESCRIPTION
1	09/12/2020	ISSUED FOR REVIEW
2	10/12/2020	ISSUED FOR REVIEW
3	11/12/2020	ISSUED FOR REVIEW
4	14/06/2021	ISSUED FOR REVIEW
5	29/06/2021	ISSUED FOR REVIEW
6	23/07/2021	ISSUED FOR REVIEW
7	06/08/2021	ISSUED FOR SPA SUBMISSI

## **GENERAL NOTES**

1. DRAWINGS ARE PREPARED BASED ON BOUNDARY PLAN AND TOPOGRAPHICAL SURVEY OF LOTS PART OF LOTS 1, 2 & 3 REGISTERED PLAN 37 AND PART OF LOT 18 CONCESSION 9, TOWN OF HALTON HILLS (GEORGETOWN) REGIONAL MUNICIPALITY OF HALTON PREPARED BY DOLLIVER SURVEYING INC., AND DATED APRIL 27, 2017.

- 2. DRAWINGS ARE TO BE READ IN CONJUNCTION WITH ALL OTHER CONSULTANTS' DRAWINGS AND REPORTS.
  REFER TO TRAFFIC CONSULTANT'S DOCUMENTATION FOR TRAFFIC DIAGRAMS, TURNING RADII, TRAFFIC REPORT AND SITE
- ACCESS INFORMATION;
  REFER TO LANDSCAPE ARCHITECT'S DRAWINGS FOR LANDSCAPING INFORMATION, GRADING, GREEN ROOF AND OUTDOOR AMENITY SPACES;
  REFER TO SITE SERVICING / CIVIL ENGINEER'S DRAWINGS AND REPORTS FOR SITE SERVICING
- AND UTILITY INFORMATION;

  REFER TO WASTE MANAGEMENT CONSULTANT'S
  DESIGN BRIEF FOR INFORMATION ABOUT WASTE
  STORAGE, PICK-UP AND HANDLING FOR ALL
- USES/OCCUPANCIES;

  REFER TO LETTER FROM STRUCTURAL ENGINEER FOR DRIVEWAYS, PASSAGE WAYS AND LOADING SPACE WITH IMPACT FACTORS WHERE THEY ARE LOCATED OVER A SUPPORTED STRUCTURE;
- 3. ALL ACCESS DRIVEWAYS TO BE USED BY THE COLLECTION VEHICLE WILL BE LEVEL (+/-8%), HAVE A MINIMUM VERTICAL CLEARANCE OF 4.4 m THROUGHOUT, A MINIMUM 4.5 m WIDE THROUGHOUT AND 6 m WIDE AT POINT OF INGRESS AND EGRESS.

  4. OVERHEAD DOORS THE COLLECTION VEHICLE WILL BE PASSING THROUGH HAVE A MINIMUM WIDTH OF 4 m AND A MINIMUM OVERHEAD CLEARANCE OF 4.4 m.
- 5. TYPE G LOADING SPACE THAT IS LEVEL (+/-2%), AND IS CONSTRUCTED OF A MINIMUM OF 200 MM REINFORCED CONCRETE.
  6. A TRAINED ON-SITE STAFF MEMBER WILL BE AVAILABLE TO MANOEUVRE BINS FOR THE COLLECTION DRIVER AND ALSO ACT AS A FLAGMAN WHEN THE TRUCK IS REVERSING. IN THE EVENT THE ON-SITE STAFF IS UNAVAILABLE AT THE TIME THE CITY COLLECTION VEHICLE ARRIVES AT THE SITE, THE COLLECTION VEHICLE WILL LEAVE THE SITE AND NOT RETURN UNTIL THE NEXT SCHEDULED COLLECTION DAY 7. A WARNING SYSTEM TO CAUTION MOTORISTS LEAVING THE PARKING GARAGE OF HEAVY VEHICLES WHEN LOADING OPERATIONS ARE OCCURRING. THIS WARNING SYSTEM SHOULD INCLUDE BOTH LIGHTS AND SIGNS

SIGNS.

8. A NON-RESIDENTIAL WASTE STORAGE ROOM FOR NON-RESI COMPONENT IS PROVIDED WHICH IS INDEPENDENT OF AND NOT ACCESSIBLE TO THE RESIDENTIAL WASTE ROOM.

9. THE BINS THAT WILL BE USED FOR THE NONRESIDENTIAL WASTE WILL BE LABELED SEPARATELY FROM THE BINS FOR THE RESIDENTIAL WASTE.

10. BUILDING TO BE FULLY SPRINKLED

No.	DATE	DESCRIPTION
1	00,00,0000	ISSUED FOR SPA

© COPYRIGHT IBI GROUP ARCHITECTS (CANADA) INC., ALL RIGHTS RESERVED.

IBI GROUP ARCHITECTS (CANADA) INC.
7TH FLOOR - 55 ST. CLAIR AVE. W.
TORONTO, ONTARIO M4V 2Y7
tel (416) 596-1930 fax (416) 596-0644
ibigroup.com

REVISIONS

McGibbon on Main

71 Main Street South, Halton Hills, ON

RENDERING VIEWS

	125246		A401
PROJECT NO	):	DWG NO.	
Author	Checker	06/08/2021	1 : 100
DRAWN BY:	CHKD' BY:	DATE:	SCALE:









ISSUED				
No.	DATE	DESCRIPTION		
1	09/12/2020	ISSUED FOR REVIEW		
2	10/12/2020	ISSUED FOR REVIEW		
3	11/12/2020	ISSUED FOR REVIEW		
4	14/06/2021	ISSUED FOR REVIEW		
5	29/06/2021	ISSUED FOR REVIEW		
6	23/07/2021	ISSUED FOR REVIEW		
7	06/08/2021	ISSUED FOR SPA SUBMISSION		

## **GENERAL NOTES**

1. DRAWINGS ARE PREPARED BASED ON BOUNDARY PLAN AND TOPOGRAPHICAL SURVEY OF LOTS PART OF LOTS 1, 2 & 3 REGISTERED PLAN 37 AND PART OF LOT 18 CONCESSION 9, TOWN OF HALTON HILLS (GEORGETOWN) REGIONAL MUNICIPALITY OF HALTON PREPARED BY DOLLIVER SURVEYING INC., AND DATED APPIL 27, 2017

2. DRAWINGS ARE TO BE READ IN CONJUNCTION WITH ALL OTHER CONSULTANTS' DRAWINGS AND REPORTS. REFER TO TRAFFIC CONSULTANT'S

DOCUMENTATION FOR TRAFFIC DIAGRAMS,
TURNING RADII, TRAFFIC REPORT AND SITE
ACCESS INFORMATION;
REFER TO LANDSCAPE ARCHITECT'S DRAWINGS

- FOR LANDSCAPING INFORMATION, GRADING,
  GREEN ROOF AND OUTDOOR AMENITY SPACES;
  REFER TO SITE SERVICING / CIVIL ENGINEER'S
  DRAWINGS AND REPORTS FOR SITE SERVICING
- DRAWINGS AND REPORTS FOR SITE SERVICING
  AND UTILITY INFORMATION;

  REFER TO WASTE MANAGEMENT CONSULTANT'S
  DESIGN BRIEF FOR INFORMATION ABOUT WASTE
  STORAGE, PICK-UP AND HANDLING FOR ALL
  USES/OCCUPANCIES;

  REFER TO LETTER FROM STRUCTURAL ENGINEER
  FOR DRIVEWAYS, PASSAGE WAYS AND LOADING
  SPACE WITH IMPACT FACTORS WHERE THEY ARE
  LOCATED OVER A SUPPORTED STRUCTURE;
- 3. ALL ACCESS DRIVEWAYS TO BE USED BY THE COLLECTION VEHICLE WILL BE LEVEL (+/-8%), HAVE A MINIMUM VERTICAL CLEARANCE OF 4.4 m THROUGHOUT, A MINIMUM 4.5 m WIDE THROUGHOUT AND 6 m WIDE AT POINT OF INGRESS AND EGRESS.

4. OVERHEAD DOORS THE COLLECTION VEHICLE WILL BE PASSING THROUGH HAVE A MINIMUM WIDTH OF 4 m AND A MINIMUM OVERHEAD CLEARANCE OF 4.4 m. 5. TYPE G LOADING SPACE THAT IS LEVEL (+/-2%), AND IS CONSTRUCTED OF A MINIMUM OF 200 MM REINFORCED CONCRETE.

 A TRAINED ON-SITE STAFF MEMBER WILL BE
 AVAILABLE TO MANOEUVRE BINS FOR THE COLLECTION DRIVER AND ALSO ACT AS A FLAGMAN WHEN THE TRUCK IS REVERSING. IN THE EVENT THE ON-SITE STAFF IS UNAVAILABLE AT THE TIME THE CITY COLLECTION VEHICLE ARRIVES AT THE SITE, THE
COLLECTION VEHICLE WILL LEAVE THE SITE AND NOT
RETURN UNTIL THE NEXT SCHEDULED COLLECTION DAY
7. A WARNING SYSTEM TO CAUTION MOTORISTS
LEAVING THE PARKING GARAGE OF HEAVY VEHICLES
WHEN LOADING OPERATIONS ARE OCCURRING. THIS
WARNING SYSTEM SHOULD INCLUDE BOTH LIGHTS AND
SIGNS

8. A NON-RESIDENTIAL WASTE STORAGE ROOM FOR NON-RESI COMPONENT IS PROVIDED WHICH IS INDEPENDENT OF AND NOT ACCESSIBLE TO THE RESIDENTIAL WASTE ROOM.

9. THE BINS THAT WILL BE USED FOR THE NONRESIDENTIAL WASTE WILL BE LABELED SEPARATELY FROM THE BINS FOR THE RESIDENTIAL WASTE.

10. BUILDING TO BE FULLY SPRINKLED

N.I.	DATE	DECODIDEION
1	00,00,0000	ISSUED FOR SPA

© COPYRIGHT IBI GROUP ARCHITECTS (CANADA) INC., ALL RIGHTS RESERVED.

IBI GROUP ARCHITECTS (CANADA) INC.
7TH FLOOR - 55 ST. CLAIR AVE. W.
TORONTO, ONTARIO M4V 2Y7
tel (416) 596-1930 fax (416) 596-0644
ibigroup.com

REVISIONS

McGibbon on Main

71 Main Street South, Halton Hills, ON

SHEET TITLE RENDERING VIEWS

	125246		A40
PROJECT NO	):	DWG NO.	
Author	Checker	06/08/2021	1 : 1
DRAWN BY:	CHKD' BY:	DATE:	SCALE











ISSUED		
No.	DATE	DESCRIPTION
1	09/12/2020	ISSUED FOR REVIEW
2	10/12/2020	ISSUED FOR REVIEW
3	11/12/2020	ISSUED FOR REVIEW
4	14/06/2021	ISSUED FOR REVIEW
5	29/06/2021	ISSUED FOR REVIEW
6	23/07/2021	ISSUED FOR REVIEW

7 06/08/2021 ISSUED FOR SPA SUBMISSION

## GENERAL NOTES

1. DRAWINGS ARE PREPARED BASED ON BOUNDARY PLAN AND TOPOGRAPHICAL SURVEY OF LOTS PART OF LOTS 1, 2 & 3 REGISTERED PLAN 37 AND PART OF LOT 18 CONCESSION 9, TOWN OF HALTON HILLS (GEORGETOWN) REGIONAL MUNICIPALITY OF HALTON PREPARED BY DOLLIVER SURVEYING INC., AND DATED

2. DRAWINGS ARE TO BE READ IN CONJUNCTION WITH ALL OTHER CONSULTANTS' DRAWINGS AND REPORTS. REFER TO TRAFFIC CONSULTANT'S

DOCUMENTATION FOR TRAFFIC DIAGRAMS,
TURNING RADII, TRAFFIC REPORT AND SITE
ACCESS INFORMATION;
REFER TO LANDSCAPE ARCHITECT'S DRAWINGS

- FOR LANDSCAPING INFORMATION, GRADING, GREEN ROOF AND OUTDOOR AMENITY SPACES; REFER TO SITE SERVICING / CIVIL ENGINEER'S DRAWINGS AND REPORTS FOR SITE SERVICING
- DRAWINGS AND REPORTS FOR SITE SERVICING
  AND UTILITY INFORMATION;
  REFER TO WASTE MANAGEMENT CONSULTANT'S
  DESIGN BRIEF FOR INFORMATION ABOUT WASTE
  STORAGE, PICK-UP AND HANDLING FOR ALL
  USES/OCCUPANCIES;
  REFER TO LETTER FROM STRUCTURAL ENGINEER
  FOR DRIVEWAYS, PASSAGE WAYS AND LOADING
  SPACE WITH IMPACT FACTORS WHERE THEY ARE
  LOCATED OVER A SUPPORTED STRUCTURE;

3. ALL ACCESS DRIVEWAYS TO BE USED BY THE COLLECTION VEHICLE WILL BE LEVEL (+/-8%), HAVE A MINIMUM VERTICAL CLEARANCE OF 4.4 m THROUGHOUT, A MINIMUM 4.5 m WIDE THROUGHOUT AND 6 m WIDE AT POINT OF INGRESS AND EGRESS. 4. OVERHEAD DOORS THE COLLECTION VEHICLE WILL BE PASSING THROUGH HAVE A MINIMUM WIDTH OF 4 m AND A MINIMUM OVERHEAD CLEARANCE OF 4.4 m. 5. TYPE G LOADING SPACE THAT IS LEVEL (+/-2%), AND IS CONSTRUCTED OF A MINIMUM OF 200 MM REINFORCED CONCRETE.

6. A TRAINED ON-SITE STAFF MEMBER WILL BE AVAILABLE TO MANOEUVRE BINS FOR THE COLLECTION DRIVER AND ALSO ACT AS A FLAGMAN WHEN THE TRUCK IS REVERSING. IN THE EVENT THE ON-SITE STAFF IS UNAVAILABLE AT THE TIME THE CITY STAFF IS UNAVAILABLE AT THE TIME THE CITY
COLLECTION VEHICLE ARRIVES AT THE SITE, THE
COLLECTION VEHICLE WILL LEAVE THE SITE AND NOT
RETURN UNTIL THE NEXT SCHEDULED COLLECTION DAY
7. A WARNING SYSTEM TO CAUTION MOTORISTS
LEAVING THE PARKING GARAGE OF HEAVY VEHICLES
WHEN LOADING OPERATIONS ARE OCCURRING. THIS
WARNING SYSTEM SHOULD INCLUDE BOTH LIGHTS AND
SIGNS

8. A NON-RESIDENTIAL WASTE STORAGE ROOM FOR NON-RESI COMPONENT IS PROVIDED WHICH IS INDEPENDENT OF AND NOT ACCESSIBLE TO THE RESIDENTIAL WASTE ROOM.

9. THE BINS THAT WILL BE USED FOR THE NONRESIDENTIAL WASTE WILL BE LABELED SEPARATELY FROM THE BINS FOR THE RESIDENTIAL

10. BUILDING TO BE FULLY SPRINKLED

REVISIONS

No.	DATE	DESCRIPTION
1	00,00,0000	ISSUED FOR SPA

© COPYRIGHT IBI GROUP ARCHITECTS (CANADA) INC., ALL RIGHTS RESERVED.

IBI GROUP ARCHITECTS (CANADA) INC. 7TH FLOOR - 55 ST. CLAIR AVE. W. TORONTO, ONTARIO M4V 2Y7 tel (416) 596-1930 fax (416) 596-0644 ibigroup.com

McGibbon on Main

71 Main Street South, Halton Hills, ON

SHEET TITLE RENDERING VIEWS

DRAWN BY:	CHKD' BY:	DATE:	SCALE:
Author	Checker	06/08/2021	1 : 10
PROJECT NO	:	DWG NO.	
	125246		A403